

Figure 1




Figure 2




Figure 3




Figure 4

```

<SOAP-ENV:Envelope    520
  xmlns:SOAP-ENV=http://schemas.xmlsoap.org/soap/envelope/
  xmlns:xsd=http://www.w3.org/1999/XMLSchema/
  xmlns:xsi="http://www.w3.org/1999/XMLSchema/instance/">

  <SOAP-ENV:Header>    530
    <RequestHeader>    540
      <Operation>getProperties</Operation>
      <ServiceName>RemoteControlManagement</ServiceName>
      <SecurityContext>
        <AuthenticationToken>NTk1NDkTE2A6LTdmZIwMTA=</AuthenticationToken>
      </SecurityContext>
    </RequestHeader>
  </SOAP-ENV:Header>

  <SOAP-ENV:Body>      550
    <getProperties>      560
      <MemberId>a2bdevice2</MemberId>
      <WebServiceType>RemoteDiagnostics</WebServiceType>
      <PropertyNames>
        <Property name="Fan_Speed_1"></Property>
      </PropertyNames>
    </getProperties>
  </SOAP-ENV:Body>

</SOAP-ENV:Envelope>

```

Figure 5a: SOAP-Encoded Data

```

getProperties.MemberId=a2bdevice2&getProperties.WebServiceType=RemoteDiagnostics&getProperties.PropertyNames.Property@name=Fan%20Speed%201

```

Figure 5b: URL-Encoded Data

```

g.M=a2bdevice2&g.W=RemoteDiagnostics&g.P.P@n=Fan%20Speed%201

```

Figure 5c: Compact-URL encoded data




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11